




10/693, 369

| | | | | | | | | | | | | | | |
|---|---------|---|---|---|--|---|---|---|------------|--------------------|-------|----------|-------------------------------|--|
| Form PTO-1449 | | U.S. Department of Commerce Patent and Trademark Office | | | Atty. Docket No. 55311-AZ-PCT-US JPW/AJM/MML | | Serial No. Not Yet Known | | | | | | | |
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | | Applicant: Audrey Minden | | | | | | | | | |
| | | | | | Filing Date Herewith | | Group 1652, 1644 | | | | | | | |
| U.S. PATENT DOCUMENTS | | | | | | | | | | | | | | |
| Examiner Initial | | Document Number | | | | | | | Date | Name | Class | Subclass | Filing Date if Appropriate | |
| MS | | 5 | 5 | 1 | 8 | 9 | 1 | 1 | 5/21/1996 | Abo, A. et al. | 435 | 194 | | |
| | | 5 | 6 | 0 | 5 | 8 | 2 | 5 | 2/25/1997 | Abo, A. et al. | 435 | 194 | | |
| | | 5 | 6 | 9 | 8 | 4 | 2 | 8 | 12/16/1997 | Abo, A. et al. | 435 | 194 | | |
| | | 5 | 6 | 9 | 8 | 4 | 4 | 5 | 12/16/1997 | Abo, A. et al. | 435 | 325 | | |
| | | 6 | 0 | 1 | 3 | 4 | 6 | 4 | 1/11/2000 | Abo, A. et al. | 435 | 15 | | |
| | | 6 | 0 | 1 | 3 | 5 | 0 | 0 | 1/11/2000 | Minden, A. | 435 | 194 | | |
| | | 6 | 0 | 4 | 8 | 7 | 0 | 6 | 4/11/2000 | Abo, A. et al. | 435 | 15 | | |
| MS | US 2003 | 0 | 0 | 5 | 0 | 2 | 3 | 0 | 03/13/2003 | Plowman, G. et al. | 514 | 12 | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | | | | | | | | |
| | | Document Number | | | | | | | Date | Country | Class | Subclass | Translation Yes No | |
| | | | | | | | | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | | | | | | | | |
| MS | | Aspenstrom, P. et al. (1996) Two GTPases, Cdc42 and Rac, bind directly to a protein implicated in the immunodeficiency disorder Wiskott-Aldrich syndrome. Curr. Biol. 6, 70-75: | | | | | | | | | | | | |
| I | | Bagrodia, S. et al. (1995) Cdc42 and PAK-mediated signaling leads to Jun kinase and p38 mitogen-activated protein kinase activation. J. Biol. Chem. 270, 27995-27998: | | | | | | | | | | | | |
| MS | | Bashour, A.M. et al. (1997) IQGAP1, a Rac- and Cdc42-binding protein, directly binds and cross-links microfilaments. J. Cell. Biol. 137, 1555-1566: | | | | | | | | | | | | |
| EXAMINER | | | | | | | | | | | | | | |
| | | DATE CONSIDERED 10/5/04 | | | | | | | | | | | | |
| <p>*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p> | | | | | | | | | | | | | | |

10/693,369




| | | | | | | | | |
|--|--|--|------|---------|--|----------|---|----|
| Form PTO-1449 | | U.S. Department of Commerce Patent and Trademark Office | | | Atty. Docket No. 55311-AZ-PCT-US JPW/AJM/MML | | Serial No. Not Yet Known | |
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | | Applicant: Audrey Minden | | | |
| | | | | | Filing Date Herewith | | Group 1652 1644 | |
| U.S. PATENT DOCUMENTS | | | | | | | | |
| Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date if Appropriate | |
| | | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | | |
| | | Document Number | Date | Country | Class | Subclass | Translation | |
| | | | | | | | Yes | No |
| | | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | | |
| | | Benner, G.E. et al. (1995) Activation of an S6/H4 kinase (PAK 65) from human placenta by intramolecular and intermolecular autophosphorylation. J. Biol. Chem. 270, 21121-21128; | | | | | | |
| | | Bershadsky, A., and Futerman, A. (1994) Disruption of the Golgi apparatus by brefeldin A blocks cell polarization and inhibits directed cell migration. Proc. Natl. Acad. Sci. U.S.A. 91, 5686-5689; | | | | | | |
| | | Brown, J. et al. (1996) Human Ste20 homologue hPAK1 links GTPase to JNK MAP kinase pathway. Curr. Biol. 6, 598-605; | | | | | | |
| | | Burbelo, P.D. et al. (1995) A conserved binding motif defines numerous candidate target proteins for both Cdc42 and Rac GTPases. J. Biol. Chem. 270, 29071-29074; | | | | | | |
| | | Coso, O.A. et al. (1995) The small GTP-binding proteins Rac1 and Cdc42 regulate the activity of the JNK/SAPK signaling pathway. Cell 81, 1137-1146; | | | | | | |
| | | Cvrckova, F. et al. (1995) Ste20-like protein kinases are required for normal localization of cell growth and for cytokinesis in budding yeast. Genes Dev. 9, 1817-1830; | | | | | | |
| | | Dascher, C., and Balch, W.E. (1994) Dominant inhibitory mutants of ARF1 block endoplasmic reticulum to Golgi transport and trigger disassembly of the Golgi apparatus. J. Biol. Chem. 269, 1437-48; | | | | | | |
| EXAMINER | | DATE CONSIDERED | | | | | | |
| Muller | | 10/5/04 | | | | | | |
| *EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | | |

10/693,347

| | | | | | | | | |
|--|--|---|------|---------|--|----------|---|----|
| Form PTO-1449 | | U.S. Department of Commerce Patent and Trademark Office | | | Atty. Docket No. 55311-AZ-PCT-US JPW/AJM/MML | | Serial No. Not Yet Known | |
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | | Applicant: Audrey Minden | | | |
| | | | | | Filing Date Herewith | | Group 1652 1644 | |
| U.S. PATENT DOCUMENTS | | | | | | | | |
| Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date if Appropriate | |
| | | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | | |
| | | Document Number | Date | Country | Class | Subclass | Translation | |
| | | | | | | | Yes | No |
| | | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | | |
|  | | Dharmawardhane, S. et al. (1997) Localization of p21-activated kinase 1 (PAK1) to pinocytic vesicles and cortical actin structures in stimulated cells. J. Cell. Biol. 138, 1265-1278; | | | | | | |
| | | Donaldson, J.G. et al. (1992) ADP-ribosylation factor, a small GTP-binding protein, is required for binding of the coatamer protein beta-COP to Golgi membranes. Proc. Natl. Acad. Sci. U.S.A. 89, 6408-6412; | | | | | | |
| | | Donaldson, J.G. et al. (1992) Brefaldin A inhibits golgi membrane-catalyzed exchange of guanine nucleotide into ARF protein. Nature 360, 350-352; | | | | | | |
| | | Dutartre, H. et al. (1996) Cytokinesis arrest and redistribution of actin-cytoskeleton regulatory components in cells expressing the Rho GTPase CDC42HS. J. Cell. Sci. 109, 367-377; | | | | | | |
| | | Erickson, J.W. et al. (1996) Mammalian Cdc42 is a brefeldin A-sensitive component of the Golgi apparatus. J. Biol. Chem. 271, 26850-26854; | | | | | | |
| | | Erickson, J.W. et al. (1997) Identification of an actin cytoskeletal complex that includes IQGAP and the Cdc42 GTPase. J. Biol. Chem. 272, 24443-24447; | | | | | | |
| | | Fukata, M. et al. (1997) Regulation of cross-linking of actin filament by IQGAP1, a target for Cdc42. J. Biol. Chem. 272, 29579-29583; | | | | | | |
|  | | Hanks, S.K. et al. (1988) The protein kinase family: conserved features and deduced phylogeny of the catalytic domains. Science 241, 42-52; | | | | | | |
| EXAMINER | | DATE CONSIDERED | | | | | | |
|  | | 10/5/04 | | | | | | |
| *EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | | |

10/693 367

| | | | | | | | |
|--|--|--|------|--|-------|---|-------------------------------|
| Form PTO-1449 | | U.S. Department of Commerce Patent and Trademark Office | | Atty. Docket No. 55311-AZ-PCT-US JPW/AJM/MML | | Serial No. Not Yet Known | |
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | Applicant: Audrey Minden | | | |
| | | | | Filing Date Herewith | | Group 1652 1644 | |
| U.S. PATENT DOCUMENTS | | | | | | | |
| Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date if Appropriate |
| | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | |
| | | Document Number | Date | Country | Class | Subclass | Translation Yes No |
| | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | |
| MS | | Harden, N. et al. (1996) A Drosophila homolog of the Rac- and Cdc42- activated serine/threonine kinase PAK is a potential focal adhesion and focal complex protein that colocalizes with dynamic actin structures. Mol. Cell. Biol. 16, 1896-1908; | | | | | |
| | | Hart, M.J. et al. (1996) IQGAP, a calmodulin-binding protein with a rasGAP- related domain, is a potential effector for cdc4Hs. EMBO J. 15, 2997-3005; | | | | | |
| | | Helms, J.B., and Rothman, J.E. (1992) Inhibition by brefeldin A of a golgi membrane enzyme that catalyses exchange of guanine nucleotide bound to ARF. Nature 360, 352-354; | | | | | |
| | | Hillier, L. et al. (1995) yg22e03.r1 Soars infant brain 1NIB Homo sapiens cDNA clone IMAGE:32974 5' similar to SP:KPAK-RAT p35465, EST Database Accession No. R18825; | | | | | |
| | | Johnson, L. et al. (1996) Active and inactive protein kinases: structural basis for regulation. Cell 85, 149-158; | | | | | |
| MS | | Joneson, T. et al. (1996) RAC regulation of actin polymerization and proliferation by a pathway distinct from Jun kinase. Science 274, 1374-1376; | | | | | |
| EXAMINER | | DATE CONSIDERED | | | | | |
| | | 10/5/04 | | | | | |
| *EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | |

| | | | | | | | | |
|--|--|--|------|---------|--|----------|--|----|
| Form PTO-1449 | | U.S. Department of Commerce Patent and Trademark Office | | | Atty. Docket No. 55311-AZ-PCT-US JPW/AJM/MML | | Serial No. Not Yet Known | |
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | | Applicant: Audrey Minden | | | |
| | | | | | Filing Date Herewith | | Group 1652 1644 | |
| U.S. PATENT DOCUMENTS | | | | | | | | |
| Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date if Appropriate | |
| | | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | | |
| | | Document Number | Date | Country | Class | Subclass | Translation | |
| | | | | | | | Yes | No |
| | | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | | |
|  | | Kozma, R. et al. (1995) The Ras-related protein Cdc42Hs and bradykinin promote formation of peripheral actin microspikes and filopodia in Swiss fibroblasts. Mol. Cell. Biol. 15, 1942-1952; | | | | | | |
| | | Kuroda, S. et al. (1996) Identification of IQGAP as a putative target for the small GTPases, Cdc42 and Rac1. J. Bio. Chem. 271, 23363-23367; | | | | | | |
| | | Lamarche, N. et al. (1996) Rac and Cdc42 induce actin polymerization and G1 cell cycle progression independently of p65PAK and the JNK/SAPK MAP 10 kinase cascade. Cell 87, 519-529; | | | | | | |
| | | Manser, E. et al. (1993) A non-receptor tyrosine kinase that inhibits the GTPase activity of p21cdc42. Nature 363, 364-367; | | | | | | |
| | | Manser, E. et al. (1994) A brain serine/threonine protein kinase activated by Cdc42 and Rac1. Nature 367, 40-46; | | | | | | |
| | | Manser, E. et al. (1997) Expression of constitutively active alpha-PAK reveals effects of the kinase on actin and focal complexes. Mol. Cell. Biol. 17, 1129-1143; | | | | | | |
|  | | Manser, E. et al. (1998) PAK kinases are directly coupled to the PIX family of nucleotide exchange factors. Mol. Cell. 1, 183-192; | | | | | | |
| EXAMINER | | DATE CONSIDERED | | | | | | |
|  | | 195/04 | | | | | | |
| *EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | | |

10/693,367

| | | | | | | | |
|--|--|--|------|--|-------|--|----------------------------|
| Form PTO-1449 | | U.S. Department of Commerce Patent and Trademark Office | | Atty. Docket No. 55311-AZ-PCT-US JPW/AJM/MML | | Serial No. Not Yet Known | |
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | Applicant: Audrey Minden | | Group 1652 1644 | |
| | | | | Filing Date Herewith | | | |
| U.S. PATENT DOCUMENTS | | | | | | | |
| Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date if Appropriate |
| | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | |
| | | Document Number | Date | Country | Class | Subclass | Translation |
| | | | | | | | Yes No |
| | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | |
| <i>MS</i> | | Marshall, C.J. (1994) Signal transduction. Hot lips and phosphorylation of protein kinases. Nature 367, 686; | | | | | |
| <i>MS</i> | | Martin, G.A. et al. (1995) A novel serine kinase activated by rac1/CDC42Hs-dependent autophosphorylation is related to PAK65 and STE20. EMBO J. 14, 1970-1978; | | | | | |
| | | Melnik, M.M. (1997) GenBank Accession No. AF005046 | | | | | |
| <i>MS</i> | | Minden, A. et al. (1994) Differential activation of ERK and JNK mitogen-activated protein kinases by Raf-1 and MEKK. Science 266, 1719-1723; | | | | | |
| | | Minden, A. et al. (1995) Selective activation of the JNK signaling cascade and c-Jun transcriptional activity by the small GTPases Rac and Cdc42Hs. Cell 81, 1147-1157; | | | | | |
| | | Nobes, C.D., and Hall, A. (1995) Rho, rac, and cdc42 GTPases regulate the assembly of multimolecular focal complexes associated with actin stress fibers, lamellipodia, and filopodia. Cell 81, 53-62; | | | | | |
| | | Orci, L. et al. (1991) Brefeldin A, a drug that blocks secretion, prevents the assembly of non-clathrin-coated buds on Golgi cisternae. Cell 64, 1183-1195; | | | | | |
| <i>MS</i> | | Pelech, S.L. (1996) Kinase connections on the cellular intranet. Signaling pathways. Curr. Biol. 6, 551-554; | | | | | |
| EXAMINER | | DATE CONSIDERED | | | | | |
| <i>Michael Spent</i> | | 10/5/04 | | | | | |
| *EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | |

10/693 367

| | | | | | | | | |
|--|--|--|------|---------|--|----------|---|--|
| Form PTO-1449 | | U.S. Department of Commerce Patent and Trademark Office | | | Atty. Docket No. 55311-AZ-PCT-US JPW/AJM/MML | | Serial No. Not Yet Known | |
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | | Applicant: Audrey Minden | | | |
| | | | | | Filing Date Herewith | | Group T652 1644 | |
| U.S. PATENT DOCUMENTS | | | | | | | | |
| Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date if Appropriate | |
| | | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | | |
| | | Document Number | Date | Country | Class | Subclass | Translation | |
| | | | | | | | Yes No | |
| | | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | | |
| | | Rana, A. et al. (1996) The mixed lineage kinase SPRK phosphorylates and activates the stress-activated protein kinase activator, SEK-1. J. Biol. Chem. 271, 19025-19028 | | | | | | |
| | | Schekman, R., and Orci, L. (1996) Coat proteins and vesicle budding. Science 271, 1526-1533; | | | | | | |
| | | Sells, M.A. et al. (1997) Human p21-activated kinase (Pak1) regulates actin organization, in mammalian cells. Curr. Biol. 7, 202-210; | | | | | | |
| | | Sells, M.A., and Chernof, J. (1997) Emerging from the Pak: the p21-activated protein kinase family. Trends. Cell. Biol. 7, 162-167; | | | | | | |
| | | Sigma catalog, Biochemicals and Organic Compounds for Research and Diagnostic Reagents, "Anonymous" ALA-VAL fragment, pg. 64; | | | | | | |
| | | Symons, M. et al. (1996) Wiskott-Aldrich syndrome protein, a novel effector for the GTPase CDC42Hs, is implicated in actin polymerization. Cell 84, 723-734; | | | | | | |
| | | Szczepanowska, J. et al. (1997) Identification by mass spectrometry of the phosphorylated residue responsible for activation of the catalytic domain of myosin I heavy chain kinase, a member of the PAK/STE20 family. Proc. Natl. Acad. Sci. U.S.A. 94, 8503-8508; | | | | | | |
| | | Takebe, Y. et al. (1988) SR alpha promoter: an efficient and versatile mammalian cDNA expression system composed of the simian virus 40 early promoter and the R-U5 segment of human T-cell leukemia virus type 1 long terminal repeat. Mol. Cell. Biol. 8, 466-472; | | | | | | |
| EXAMINER | | DATE CONSIDERED | | | | | | |
| | | 10/5/04 | | | | | | |
| *EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | | |

10/693,367

| | | | | | | | |
|--|--|---|------|--|-------|---|-------------------------------|
| Form PTO-1449 | | U.S. Department of Commerce Patent and Trademark Office | | Atty. Docket No. 55311-AZ-PCT-US JPW/AJM/MML | | Serial No. Not Yet Known | |
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | Applicant: Audrey Minden | | | |
| | | | | Filing Date Herewith | | Group 1652 1644 | |
| U.S. PATENT DOCUMENTS | | | | | | | |
| Examiner Initial | | Document Number | Date | Name | Class | Subclass | Filing Date if Appropriate |
| | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | |
| | | Document Number | Date | Country | Class | Subclass | Translation Yes No |
| | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | |
| | | Teramoto, H. et al. (1996) Signaling from the small GTP-binding proteins Rac1 and Cdc42 to the c-Jun N-terminal kinase/stress-activated protein kinase pathway. A role for mixed lineage kinase 3/protein-tyrosine kinase 1, a novel member of the mixed lineage kinase family. J. Biol. Chem. 271, 27225-277228; | | | | | |
| | | Van Aelst, L. et al. (1996) Identification of a novel Rac1-interacting protein involved in membrane ruffling. EMBO J. 15, 3778-3786; | | | | | |
| | | Van Aelst, L., and D'Souza-Schorey, C. (1997) Rho GTPases and signaling networks. Genes Dev. 11, 2295-2322; | | | | | |
| | | Westwick, J.K. et al. (1997) Rac regulation of transformation, gene expression, and actin organization by multiple, PAK-Independent pathways. Mol. Cell. Biol. 17, 1324-1335; | | | | | |
| | | Zhang, C. J. et al. (1994) Expression of a dominant allele of human ARF1 inhibits membrane traffic in vivo. J. Cell. Biol. 124, 289-300; | | | | | |
| | | Zhang, F. et al. (1994) Atomic structure of the MAP kinase ERK2 at 2.3 A resolution. Nature 367, 704-711; and | | | | | |
| | | Zhang, S. et al. (1995) Rho family GTPases regulate p38 mitogen-activated protein kinase through the downstream mediator Pak1. J. Biol. Chem. 270, 23934-23936. | | | | | |
| EXAMINER | | DATE CONSIDERED | | | | | |
| [Signature] | | 10/5/04 | | | | | |
| *EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | | | | | |